

| Référence tendeur | Diamètre nominal | | Ø ext | Hauteur | Embase ext | Embase int | surf press | force | Course maxi |
|----------------------|------------------|--------|-------|---------|--------------|-------------|-----------------|----------|-------------|
| Tensionner reference | Nominal diameter | | | Height | Bridge O.D.C | Bride I.D.E | hydrearea area | Max load | Max stroke |
| | metric | inch | mm | mm | mm | mm | mm ² | kN | mm |
| C1-E | M24 | 1" | 84,5 | 93 | 67 | 52,6 | 2042 | 306 | 8 |
| C2-E | M27 | | 93,5 | 96 | 75 | 58,2 | 2652 | 398 | 8 |
| C3-E | M30 | 1.1/8" | 101 | 102 | 83 | 64,1 | 3229 | 484 | 10 |
| C4-E | M33 | 1.1/4" | 110 | 105 | 90 | 68,8 | 3986 | 598 | 10 |
| C5-E | M36 | 1.3/8" | 118 | 110 | 97 | 74,6 | 4716 | 707 | 10 |
| C6-E | M39 | 1.1/2" | 127 | 113 | 105 | 80,3 | 5674 | 851 | 10 |
| C7-E | M42 | 1.5/8" | 135 | 116 | 113 | 86 | 6538 | 981 | 10 |
| C8-E | M45 | 1.3/4" | 143,5 | 125 | 123 | 93,9 | 7561 | 1134 | 10 |
| C9-E | M48 | 1.7/8" | 151 | 128 | 130 | 99,7 | 8452 | 1268 | 10 |
| C10-E | M52 | 2" | 163 | 132 | 140 | 105,4 | 10116 | 1517 | 10 |
| C11-E | M56 | 2.1/4" | 178 | 140 | 148 | 111,2 | 11760 | 1764 | 10 |
| C12-E | M60 | 2.1/2" | 190 | 144 | 159 | 118 | 13710 | 2056 | 10 |
| C13-E | M64 | | 201 | 148 | 167 | 123 | 15445 | 2317 | 10 |
| C14-E | M68 | 2.3/4" | 212,5 | 154 | 176 | 129 | 17610 | 2642 | 10 |
| C15-E | M72 | | 224,5 | 158 | 185 | 134 | 19979 | 2997 | 10 |
| C16-E | M76 | 3" | 236 | 162 | 195 | 140 | 22330 | 3350 | 10 |
| C17-E | M80 | 3.1/4" | 248 | 171 | 205 | 146 | 24988 | 3748 | 10 |
| C18-E | M85 | | 263 | 179 | 215 | 151 | 28463 | 4270 | 10 |
| C19-E | M90 | 3.1/2" | 278,5 | 186 | 230 | 163 | 32244 | 4837 | 10 |
| C20-E | M100 | 4" | 307,5 | 206 | 256 | 180 | 40158 | 6024 | 10 |